


# 4CH EMBEDDED NETWORK VIDEO RECORDER



## ENR-01004-N-LPK

### FEATURES

4 Channel Input
Support H.265+, H.265, H.264 Video Formats
1 SATA HDD
HDMI and VGA Simultaneous Output
ONVIF Profile (S, G, T)
PoE Support



### SPECIFICATION

MODEL	Model No.	ENR-01004-N-LPK
	Type	4CH EMBEDDED NETWORK VIDEO RECORDER
VIDEO & AUDIO	Video Input	4-Ch (Upgradable to 5 Channels)
	Incoming Bandwidth	80 Mbps
	Outgoing Bandwidth	80 Mbps
	HDMI / VGA Output	HDMI 1: 3840x2160, 2560x1440, 1920x1080, 1440x900, 1280x800, 1280x720, 1024x768 VGA 1: 1920x1080, 1440x900, 1280x800, 1280x720, 1024x768
	Audio Input / Output	1-Ch Input (3.5 mm) / 1-Ch Output (RCA)
	Two-way Audio	Supported
	Screen Split	1/3/4/5/6
	Video Encryption	Supported
	OSD Type	Title, Week, Date, Time, Text with different colors and adaptable sizes
	DECODING	Video Compression
Video Bit Rate		32 kbps ~ 16 Mbps (per channel), CBR, VBR
Audio Compression		G.711A/G.711U
Audio Bit Rate		8 kbps ~ 48 kbps
Recording Resolution		8MP/7MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF
Recording Mode		Continuous, Manual, Event (Pre/Post, Motion etc.), Schedule, ANR, Record Interval by Time / Size
Pre/Post Record Time		Pre (5~60 sec); Post (10~600 sec)
Fisheye Camera		N/A
De-warping		N/A
MONITORING		Preview Capability
	Synchronous Playback	2x8MP, 2x6MP, 3x5MP, 4x4MP, 5x3MP, 8x1080P, 8x720P
	Live View Functions	Screen matrix, Stream type, System alarm, Snapshot, Record, Talkback, Volume adjustment, Full screen, Digital zoom
	Playback Functions	Sync playback, Play, Pause, Stop, Fast play, Slow play, Full Screen, Backup selection, Snapshot, Clip management, Screen matrix, Stream type
	Corridor Mode	Supported
	Backup Mode	USB, Network, SATA burner
	Export Picture Format	JPG
	Export Video Format	MP4, SDV, AVI
Download from Edge storage	MP4, SDV, AVI	

★Product specification and availability are subject to change without notice.


# 4CH EMBEDDED NETWORK VIDEO RECORDER



**ENR-01004-N-LPK**

<b>MODEL</b>	<b>Model No.</b>	<b>ENR-01004-N-LPK</b>
	Type	4CH EMBEDDED NETWORK VIDEO RECORDER
<b>INTERFACE</b>	Protocols	TCP/IP, UDP, IPv4, IPv6, HTTP, DHCP, DDNS, RTSP, NFS, NTP, UPnP, SMTP, Multicast, ARP, SNMP
	Compatibility	ONVIF Profile (S, G, T)
	Network	1xRJ45 (10/100 Mbps) Self Adaptive Ethernet Port
	Serial Interface	N/A
	USB Interface	2xUSB 2.0
<b>PoE</b>	Alarm Interface	4 Input & 1 Output
	PoE Interface	4xRJ45 (10/100 Mbps) Self Adaptive Ethernet Port
	Power per PoE Port	30 W
<b>SMART</b>	Max. Current per PoE Port	600 mA
	Alarm Management	Input & Output event, Alarm I/O error, Illegal access, IP Conflict, MAC Conflict, Network Interrupt, PoE overload, Hard disk full, No hard disk, Hard disk RW error, Hard disk overload, HDD SMART check error, Abnormal recording, Abnormal temperature, Motion detection, Tampering (Masking), Smart detection, Video loss
	Behavior Detection	Intrusion (Perimeter), Crossline (Tripwire), Double Crossline (Double Tripwire)
	Analytics	Loitering, Running, Abandoned object (Object Left), Missing object (Object Lost), Parking, Face Detection (Capture), People Counting, Crowd Detection, On Duty Detection, Helmet Detection, Abnormal Video & Audio Detection, License Plate Recognition **Compatible with analytic supported cameras
<b>STORAGE</b>	SATA	1 SATA Interface
	Capacity	Up to 10 TB for each HDD
	Array Type	N/A
	e-SATA	N/A
	ANR	Supported
<b>GENERAL</b>	Main Processor	Dual Core Embedded Processor
	Operating System	Embedded Linux
	User Permission	32 with multiple privilege level
	Client Application	EyeConnect
	Web Language	14
	Power	48V DC, 1.36A
	Redundant Power	N/A
	Power Consumption (without HDD)	≤20 W
	Working Environment	-10 °C ~ 55 °C
	Humidity	10% ~ 90% RH
	Chassis	1U
Dimension	45.1x255x231 mm	
Net Weight	0.95 kg	

Dimension Unit : mm



★Product specification and availability are subject to change without notice.

# 4CH EMBEDDED NETWORK VIDEO RECORDER



**ENR-01004-N-LPK**

## ORDERING INFORMATION

Part Number	Description	Standard Quantity
ENR-01004-N-LPK	4Ch Embedded Network Video Recorder With 1 HDD Bay, Supports 4# PoE Ports, 4K Cameras, HDMI, VGA and ONVIF	1

## PACKING INFORMATION

Part Number	Packing Mode	Gross weight(Kg)	Dimension(mm)
ENR-01004-N-LPK	Carton Box	1.75	45.1×255×231